

# Pillars of KDE: Flake



## Introduction


### Flake: Compound Documents

Compose your documents from individual objects:

text frames, images, vector graphics, tables, connectors

Suitable for:

presentations, text documents, spreadsheets, charts, graph images, drawings




# Pillars of KDE: Flake



## History

Claris/GoBe  
Apple's OpenDoc  
Microsoft OLE  
KDE's KParts  
OpenOffice's XP-COM

Flake



# Pillars of KDE: Flake



Why not?

Widgets?

Embedded documents?

QGraphicsView?

DECLARATIE FORMULIER					
Boudewijn Rempt					
Deventer					
Rekeningnr: *2310240					
Bon					
BTW					
Nr*	Datum	Betreft	Excl. BTW	laag 6%	hoog 19%
Brandstof- en reiskosten:					
ov-jaarkaart jui 2007 (1e klas)					
SUBTOTAAL					
Dinerkosten:					

Sheet1

# Pillars of KDE: Flake



## What Flake is and is not

Is:

Flexibly object composition resulting in compound documents on a specialized base document type

Not:

A canvas -- applications provide a specific canvas

# Pillars of KDE: Flake



Controller, model, view

KoTool

KoShape

KoCanvasBase

KoTextTool

KoTextShape

KWord Canvas  
(page based)

KoPathTool

...

KoPathShape

Krita Canvas  
(infinite sheet)

Freehand,  
Selection...

KritaImageShape

KSpread Canvas  
(tabbed sheets)

NotationTool

MusicShape

KPresenter  
(slides)

# Pillars of KDE: Flake



And View begat Tool and Tool  
begat Shape

- \* A KoTool creates a KoShape
- \* A KoShape is added to the KoShapeController
- \* The KoShapeController adds the KoShape to a KoCanvas
- \* The KoCanvas asks the KoShape to paint itself
- \* The View Widgets passes QEvents to the Tool Proxy
- \* The ToolProxy passes events to the Tool that belongs to the current Shape
- \* The Tool alters the data associated with the Shape
- \* The Shape asks to the Canvas to repaint

# Pillars of KDE: Flake



## Shapes

- \* Shapes are created by Factories
- \* Shapes can be created from templates
- \* Shapes can be nested, grouped, aligned
- \* Shapes know how to draw themselves
- \* Shapes can save and load themselves
- \* Decorated with borders

# Pillars of KDE: Flake



## Tools

- \* For every input device for every view, a tool instance
- \* Tools are associated with shapes; when a shape is selected the default tool for that shape is activated.
- \* Tool implementations are plugins
- \* Tool settings are visible in the Option Widget
- \* Tools get all events -- the shape does not handle events
- \* Tools handle undo/redo

# Pillars of KDE: Flake



## Canvases

Not a single canvas implementation

But specialisations: pages, sheets, infinite sheet

OpenGL, Arthur

Managed by KoCanvasController for scrolling, zooming, panning, decorating with shadows, drag and drop

# Pillars of KDE: Flake



## Resolution

Big problem in KOffice 1.x

In 2.0: shapes are internally in postscript points

Translated to screen and printer ppi and dpi

So, for raster graphics, three units:

- \* raster ppi (or dpi) (300 ppi)
- \* postscript resolution (72 ppi)
- \* output resolution (on my laptop, 129 x 127)

# Pillars of KDE: Flake



## Color Management

### Pigment

- \* input color description (scanner or camera profile)
- \* Working color profile (sRGB for all of KOffice except Krita)
- \* Output color profile (printer, pdf, cmyk, rgb\_)

# Pillars of KDE: Flake




## ODF, saving and loading

- \* Saving/loading, but also: cut/copy/paste
- \* either inline, or in frame objects
- \* it does push ODF: we are using ODF in a way that conforms to the standard, but we are innovating
- \* OpenRaster

# Pillars of KDE: Flak



## User Interface



# Pillars of KDE: Flake



## Integration

Open Clipart

Get Hot New Stuff

Scriptability

Nepomuk

availability of flake, odf and pigment outside KOffice?

# Pillars of KDE: Flake



## State of The Art

KWord  
Karbon  
Krita  
KPresenter  
KSpread  
Kivio  
KChart  
KPlato  
Kexi  
Kugar  
KoShell

# Pillars of KDE: Flake



## Shapes We're Sorely Missing

- \* Textual Table Shape
- \* Video Shape
- \* Map Shape